

Driwall Membrane Primer WB

# Safety Data Sheet

## 1. COMPANY IDENTIFICATION

Company: Keene Building Products  
 Address: P.O. Box 241353  
 Mayfield Heights, OH 44124  
 Toll Free Number: 877.514.5336  
 Main Number: 440.605.1020  
 Fax Number: 440.605.1120  
 Emergency (24 hours)  
 CHEMTEC: 800-424-9300  
 Effective Date: March 1, 2015  
 Product: **Driwall™ Membrane Primer WB**

## 2. HAZARDOUS IDENTIFICATION

HMIS:  
 HEALTH 1  
 FLAMMABILITY 1  
 REACTIVITY 0



HAZARD STATEMENT

WARNING  
 Causes skin irritation

This product is a water based substance but may contain ingredients that are severe irritants to eyes and skin.

Avoid direct contact. See Section 6 for more information.  
 Wear safety goggles and gloves when working with material.  
 No other known hazards otherwise classified.

## 3. COMPOSITION & INFORMATION ON INGREDIENTS

Substances	CAS Number	Percent
Petroleum Asphalt	8052-42-4	30-50%
Water	7732-18-5	30-50%
Clay	1302-78-9	10-15%
Biocide	55406-53-6	<1%

## 4. FIRST AID MEASURES

Inhalation: Not expected to be a route of exposure as provided. If respiratory symptoms develop seek medical attention.

Eyes: Check for and remove any contact lenses. Flush eyes with large amounts of luke warm water for at least 15 minutes. Do not rub or scratch eyes. If symptoms or irritation occur, call a physician.

Ingestion: If swallowed DO NOT induce vomiting and DO NOT give liquids. Rinse mouth with water to remove material from throat. If vomiting occurs spontaneously, keep head below hips to prevent aspiration of liquid into the lungs. Immediately call a physician and seek medical attention.

Skin: Wash with soap and large amounts of tepid water (not to exceed 90°F). Remove and isolate contaminated shoes and clothing. Wash clothing and clean shoes thoroughly before reuse. If symptoms of irritation occur, call a physician.

## 5. FIRE FIGHTING MEASURES

Extinguishing Media: Class B extinguisher for oil fires, CO<sub>2</sub>, Dry Powder, Water Fog.  
Special Exposure Hazards: Carbon Monoxide, Carbon Dioxide, Sulfur Byproducts upon combustion.  
Advice for Firefighters: Firefighting may result in potential exposure to high heat, smoke or toxic byproducts of combustion. A self-contained breathing apparatus (SCBA) with full-face piece and full protective firefighting clothing should be worn.

## 6. ACCIDENTAL RELEASE MEASURES

Personal Precautionary Measures: Use personal protective equipment.  
Environmental Precautions: Dike or contain spill with earth, dry sand, etc.  
Procedures for Containment/Cleanup: Pick up large pieces. Avoid contact with skin and eyes. If using dry clean-up procedures (i.e. dry sand), avoid creating dusts during clean up. Wear protective clothing, gloves, safety glasses and a dust respirator. If using liquid cleaners (i.e. mineral spirits or Citrus Cleaner) pump waste liquid into waste containers, soak up remaining material with absorbent material. Clean contaminated area thoroughly after product recovery, wash the spill area and prevent runoff into drains. Waste should be disposed of in accordance with State, Local, and Federal Regulations.

## 7. HANDLING & STORAGE

Handling: Do not ingest. Avoid prolonged or repeated contact with skin. Avoid contact with eyes. Wash thoroughly after handling, especially prior to eating or smoking. Launder soiled clothes.  
Storage: Store in a cool place away from excessive heat and open flame. Keep away from children. Keep lid on container when not in use. Avoid contact with strong oxidizers. Keep area clean and free of hazardous material.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Limits/Engineering Controls:  
Ventilation - Local Exhaust: Not required under normal process conditions.  
Personal Protective Equipment:  
Respiratory Protection: Not required under normal process conditions.  
Protective Gloves: Chemical resistant gloves.  
Eye Protection: Chemical goggles, if spraying or splashing occurs.  
Other Protective Clothing: A protective apron if splashing or repeated contacted is likely to occur.  
Hygiene measures: Wash hands before eating, drinking, or smoking. Promptly remove contaminated clothing and launder before reuse.

## 9. PHYSICAL & CHEMICAL PROPERTIES

Appearance:	Black liquid
Physical State (solid/liquid/gas):	Liquid
Substance Type (pure/mixture):	Mixture
Color:	Black
Molecular Weight:	Not determined
Upper/Lower Flammability:	Water based N/A
Upper/Lower Explosive Limits:	Water based N/A
Vapor Pressure:	Approx. 60mm Hg @ 100° F
Odor:	Light odor

Vapor Density:	No Data Available
Melting Point:	No Data Available
Freezing Point:	32°F
Solubility in Water:	Partly soluble
Initial Boiling Point:	212° F (ASTM D86)
Flash Point:	Water based product
Evaporation Rate:	No Data Available
Specific Gravity (H2O = 1):	1.02

## 10. STABILITY & REACTIVITY

Reactivity:	
Chemical Stability:	The product is stable if stored and handled as prescribed.
Conditions to Avoid:	None known
Polymerization:	Will not occur under normal process and handling conditions.
Incompatible Materials:	None recognized
Hazardous Decomposition Products:	None known.

## 11. TOXICOLOGICAL INFORMATION

Primary Route of Exposure:	Eye or skin contact, ingestion.
Eye Contact:	May cause eye irritation.
Skin Contact:	May cause mechanical skin irritation.
Ingestion:	Not expected to be an exposure route.
Inhalation:	Not expected to be an exposure route.
Chronic Effects:	
Eye Contact:	None established.
Ingestion:	None established
Inhalation:	None established

## 12. ECOLOGICAL INFORMATION

None recognized.

## 13. DISPOSAL INFORMATION

RCRA Hazardous Waste:	Dispose in accordance to Federal, State, and Local regulations. Use fuel blending or recycling facility, if material is unused.
Waste Disposal:	Empty containers or liners may retain product residues. Recommend crushing, puncturing or other means to prevent unauthorized use of containers.

## 14. TRANSPORTATION INFORMATION

This product is not a reportable quantity product regulated by the U.S. Department of Transportation (DOT).

Proper Shipping Name:	N/A
UN/Identification Number:	N/A
Hazard Class:	N/A
Packing Group:	N/A
DOT Reportable Quantity (lbs):	N/A
NFPA Rating:	Health: 1; Flammability: 1; Instability/Reactivity: 0

## 15. REGULATORY INFORMATION

US Federal Regulatory Information: No regulatory considerations recognized.

Note: User must consult with applicable state and local agencies for special specifics, determinations or compliance obligations regarding this product.

## 16. OTHER

Prepared Date: 03/1/15  
Phone: 440-605-1020

THE ABOVE INFORMATION & RECOMMENDATIONS ARE BELIEVED ACCURATE & RELIABLE BECAUSE IT IS NOT POSSIBLE TO ANTICIPATE ALL CONDITIONS OF USE; ADDITIONAL SAFETY PRECAUTIONS MAY BE REQUIRED. KEENE BUILDING PRODUCTS, MAKES NO WARRANTY, EITHER EXPRESSED OR IMPLIED, INCLUDING MERCHANTABILITY & FITNESS.

USER RESPONSIBILITY: EACH USER SHOULD READ & UNDERSTAND THIS INFORMATION & INCORPORATE IT INTO INDIVIDUAL SITE SAFETY PROGRAMS IN ACCORDANCE WITH APPLICABLE HAZARD COMMUNICATION STANDARDS & REGULATIONS.



P.O. Box 241353  
Mayfield Heights, OH 44124  
Info@KeeneBuilding.com  
KeeneBuilding.com

877 | 514 | 5336  
P 440 | 605 | 1020  
F 440 | 605 | 1120